	Application No.	Applicant(s)		
Madica of Allegorate 1114	10/642,274	LEE, YU-TUAN		
Notice of Allowability	Examiner	Art Unit		
	Eric M. Blount	2636		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. X This communication is responsive to <u>5/25/05</u> .				
2. The allowed claim(s) is/are <u>1 and 3-5</u> .				
3. The drawings filed on 25 May 2005 are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
	·			
Attachment(s)	5 Nation of Informal D	otant Application (DT)	O 152)	
1. Notice of References Cited (PTO-892) 2. Notice of Droffperson's Patent Drowing Povious (PTO 948)	5. ☐ Notice of Informal P		J-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		6. ☐ Interview Summary (PTO-413), Paper No./Mail Date		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C	08), 7. ⊠ Examiner's Amendn	nent/Comment		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allo	owance	
of Biological Material	9.			
·				

Application/Control Number: 10/642,274

Art Unit: 2636

DETAILED ACTION

1. The Office acknowledges the changes made to the Drawings by applicant. All previous objections to the Drawings have been withdrawn.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joe Muncy on January 20, 2005.

- 3. The application has been amended as follows:
 - a. In the substitute specification submitted on May 25, 2005, please **delete** the last line of paragraph 8.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art of record neither describes nor suggests a power line warning light apparatus wherein a charging circuit is included for storing voltage generated by a coil and generates a periodic trigger signal and the charging circuit comprises an increasing voltage transformer, a diode, a first capacitor, resistor, second capacitor, high voltage transformer, neon lamp, silicon controlled rectifier, and a flash lamp. Further, the prior

Application/Control Number: 10/642,274

Art Unit: 2636

art fails to show these components connected in a fashion as described by the independent claims. These along with further limitations set forth by the claims render the application allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric M. Blount whose telephone number is (571) 272-2973. The examiner can normally be reached on 8:00 am - 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Hofsass can be reached on (571) 272-2981. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Page 3